

AIRMOTORS for Robotic Cutter

15		<p>Power-Line</p> <ul style="list-style-type: none"> - Power: 1.4 kW / 1.9 hp - Rpm: 4,300 ¹/min - Torque: 12.2 Nm / 8.8 lbs - Air consumption: 1,650 l/min / 58 cfm
16		<p>Basic-Line (basic equipment)</p> <ul style="list-style-type: none"> - Power: 1.2 kW / 1.63 hp - Rpm: 10,800 ¹/min - Torque: 5.5 Nm / 3.7 lbs - Air consumption: 1,500 l/min / 52 cfm
17		<p>Eco-Line</p> <ul style="list-style-type: none"> - Power: 0.86 kW / 1.2 hp - Rpm: 18,000 ¹/min - Torque: 4 Nm / 2.95 lbs - Air consumption: 1,050 l/min / 35 cfm <p>All engines are equipped with an M14 thread.</p>
18	<div style="border: 1px solid black; padding: 2px; display: inline-block; margin-bottom: 5px;">ELECTRIC MOTOR</div> 	<p>Range of application:</p> <ul style="list-style-type: none"> DN 200 - DN 700 Power: max. 2.7 kW Supply voltage: 120 V (DC voltage) Integrated control electronics Universal connection thread M14 Encapsulated waterproof construction VDE 1000 compliant, in other words approved for the sewer area
19	<div style="border: 1px solid black; padding: 2px; display: inline-block; margin-bottom: 5px;">AIRMOTOR PC150</div> 	<p>Range of application: DN 150 - DN 225</p> <ul style="list-style-type: none"> Power: 0.86 kW Speed: 18.000 ¹/min Torque: 4 Nm Air requirement: 1,050 l/min Equipped with a universal M14 thread

